ROCKEFELLER UNIV NEW YORK SHOCK WAVE CALCULATIONS.(U) JUN 82 J GLIMM F/G 20/4 AD-A119 645 DAAG29-79-C-1079 UNCLASSIFIED ARO-16006.11-MA NL | OF | ADA 119:845 END DATE 10 -82

ARO 16006.11-MA

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered) READ INSTRUCTIONS BEFORE COMPLETING FORM REPORT DOCUMENTATION PAGE 2. GOVT ACCESSION NO. 3. RECIPIENT'S CATALOG NUMBER 1. REPORT NUMBER 5. TYPE OF REPORT & PERIOD COVERED 4. TITLE (and Subtitle) Final Report -Shock Wave Calculations July 1, 1979 - June 30/82 6. PERFORMING ORG. REPORT NUMBER 8. CONTRACT OR GRANT NUMBER(#) 7. AUTHOR(a) DAAG 29-79-C1079 James Glimm 9. PERFORMING ORGANIZATION NAME AND ADDRESS 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Rockefeller University 11. CONTROLLING OFFICE NAME AND ADDRESS 12. REPORT DATE Army Research Office P.O. Box 12211 13. NUMBER OF PAGES Research Triangle Park, N.C. 27709 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) 15. SECURITY CLASS. (of this report) Office of Naval Research Resident Rep. UNCLASSIFIED Department of Navy 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE 715 Broadway, New York 10003, N.Y. 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

THE VIEW, OPINIONS, AND OR FINDINGS CONTINUED IN THIS REPORT ARE THOSE OF THE CONTINUED AS AN OFFICIAL LIBERT OF THE CONTINUED AS AN OFFICIAL LIBERT OF THE CONTINUED BY OTHER EDGLMENTATION.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Riemann Problem, Shock Wave, Front Tracking, Random Choice Fingering, Helmholtz Instability, Regular Reflection, Shock Polars

20. ABSTRACT (Continue on reverse side if necessary and identity by block number)

Discontinuities in Physical Systems and especially Fluids have been studied from the points of view of Scientific modelling, numerical analysis, simulation and software.

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

The second secon

.09 90

023

-

Final Report

Shock Wave Calculations

I Introduction

A number of fluid problems and other physical systems are dominated by the presence of strong discontinuities. These discontinuities often play an important role in the understanding and accurate computation of the solution to such problems. The research of this contract was directed at this problem as a whole and included scientific modelling, numerical analysis, computer simulation and development of software.

The physical test problems studied were gas dynamics and oil reservoirs.

II Scientific Modelling

The work in scientific modeling was centered on studies of Riemann problems. Many computational methods for solving gas flow problems are based on approximating the problem with a number of more elementary flow problems called Riemann problems. The solution of Riemann problems are important because they provide an explicit and elementary class of solutions which contain extensive information about wave interactions. They are the basic constructive step in the random choice method, and they provide the key input into the methods based on front tracking.

The solutions of Riemann problems for flows influenced by curved geometry exhibit, as characteristic phenomena, a strengthening or weakening of the waves. They may contain waves completely missing when there is no curvature. Such effects arise, for instance, in one dimensional flows with variable cross-section and flows with cylindrical and spherical geometry. Two dimensional flows with curvilinear coordinattes produce the same effect. For conservation laws describing gas dynamics there is a nonlinear coupling of the modes of propagation, so that as a shock in a given mode changes strength, it emits signals which propagate in other modes, leading to secondary waves.

The purpose of [12,13] is to assess the benefits and difficulties of including curvature effects in the Riemann problem solutions. For this purpose we studied gas flow in Laval nozzles using a generalization of the random choice method.

Point sources in the Riemann problems produce new waves. They represent a novel method to include the effect of lower order terms, both for scalar equations and for systems. The Riemann solutions for certain 2 x 2 systems were studied including gas dynamics, black oil and surfactant flow.

For bona fide two dimensional wave interactions such as regular reflection and Mach reflection patterns, a literature study was performed.

III Numerical Methods

The research of this project has required the development of new numerical methods. The principal accomplishments of this type are the numerical slution of Riemann problems, the development of front tracking, the acceleration of iterative solutions of elliptic problems and the construction of efficient adaptive grids.

The front tracking is the method used to resolve discontinuities [8]. It requires the use of Riemann problems to determine the speed of propagation of the discontinuity. Riemann problems for isothermal gas dynamics were solved numerically [14]. Some Riemann problems in oil reservoirs with commonly occuring but mathematically complex features were considered. For two dimensions, wave interactions lead to regular reflection and Mach reflection patterns, which can be regarded as the elementary waves in a two dimensional Riemann problem. The use of shock polars is essential in solving these two dimensional wave patterns. In the case of regular reflections, preliminary results were reported in [16].

IV Simulation


Fingering of an oil water interface was studied by the front tracking method. As far as we can tell from a study of the literature, the front tracking method offers an order of magnitude improvement in resolution on this problem. Many other methods are unable to obtain fingers at all. Our methods allow a study of the formation and growth of fingers including an analysis of statistical properties [3,4,5,6,7,8].

The gas dynamics calculations were both one and two dimensional. In one dimensional calculations, shock waves in a pipeline [14] spherical waves and Laval nozzles [13] were studied. These one dimensional calculations were a test of ideas important to two dimensions, specifically the role of source terms and of singularities introduced by curved wavefronts.

The two dimensional calculations in gas dynamics are still in a preliminary stage. The problems studied are: circular waves, Helmholtz instability and regular reflection of shock waves [16]. These preliminary results show considerable promise.

V Software

Software packages have been developed for the tracking and manipulation of multiple fronts or interfaces, and in work associated with this project but supported elsewhere, for elliptic equations, utilities and graphics. Considerable effort has been dovoted to ensure the generality of these packages, which are still in evolution due to the complexity of the Computer Science issues involved.



Charles and the second

VI BIBLIOGRAPHY (Papers supported by this project)

- 1. J. Glimm, D. Marchesin, "Subgrid resolution of fluid discontinuities", ARO Report 79-3, Proceedings of the 1979 Army Numerical Analysis and Computer Conference, (1979).
- 2. J. Glimm, D. Marchesin and O. McBryan, "The Buckley-Leverett Equation: Theory, Computation and Application", in Third Symposium on Trends in Applications of Pure Mathematics to Mechanics, September 1979, Editor R. S. Knops, Pitman.
- 3. J. Glimm, D. Marchesin and O. Mcbryan, "Subgrid resolution of fluid discontinuities II", J. Comput. Phys. 37, 1980, 336.
- 4. J. Glimm, D. Marchesin and O. McBryan, "Statistical Fluid Mechanics" CMP 74, 1980, 1-13.
- 5. J. Glimm, E.L. Isaacson, D. Marchesin and O. McBryan, "Applications of the random choice method to two phase flow problems in two dimensions" in Seminar on Numerical Analysis and its Applications to Conttinuum Physics, Atas SBM-IMPA (12), Rio de Janeiro, 1980.
- 6. J. Glimm, E.L. Isaacson, D. Marchesin and O. McBryan, "A shock tracking method for hyperbolic systems (I)", in Proceedings of the 1980 Army Numerical Analysisand Computer Conference", ARO Report 80-3, (1980).
- 7. J. Glimm, D. Marchesin and O. McBryan, "A numerical method for two phase flow with unstable interface", J. Comput. Phys. 39, (1981), 179-200.
- 8. J. Glimm, E.L. Isaacson and O. McBryan, "Front tracking for hyperbolic systems", Adv. Appl. Math. 2, (1981), 91-119.
- J. Glimm and O. McBryan, "Front tracking for hyperbolic conservation laws: A Progress Report", in ARO Report 81-3, Proceedings of the 1981 Army Numerical Analysis and Computer Conference (1981).
- 10. J. Glimm, "Singularities in fluid dynamics", to appear in Proceedings of the VIth. International Conference of Mathematical Physics, Berlin, 1981, Lecture Notes in Physics, Springer-Verlag.
- 11. J. Glimm, "Tracking of interfaces for fluid flow: Accurate methods for piecewise smooth problems", in Transonic, Shock and Multidimensional Flows: Advances in Scientific computing, Academic Press, 1982.

- 12. J. Glimm, G. Marshall and B. Plohr, "A generalized random choice method for gas dynamics", in ARO Report 82-3, Proceedings of the 1982 Army Numerical Analysis and Computers Conference, 1982.
- 13. J. Glimm, G. Marshall and B. Plohr, "A generalized Riemann problem for one-dimensional gas flows", to appear in Advances in Applied Math.
- 14. D. Marchesin and P.J. Paes Leme, "Shocks in gas pipelines", to appear in SIAM J. S. S. C.
- 15. D. Marchesin, P.J. Paes Leme and J. C. Palmer, "Sequential methods for the simulation of flow in petroleum reservoirs", PUCRJ Preprint.
- 16. J. Glimm, "Theoretical problems and numerical results for nonlinear conservation laws", to appear in Proceedings of the AMS Conference Series, 1982.

